

SCREWS

18V
LI-ION

XR
BRUSHLESS

DCF620 18V XR CORDLESS COLLATED DRYWALL SCREWDRIVER

CORDLESS SCREWDRIVERS FOR EFFICIENT FITTING OF DRYWALL AND SHEET METAL

With its powerful 4400rpm brushless motor, the 18V **DCF620D2K** cordless screwdriver can drive up to 2,250 screws per charge. One of the lightest and most compact tools on the market, it can get into small spaces easily and its quick release magazine accepts most collated screws to allow the user to fit boards more quickly.

- Tool free depth control and fine depth control
- Collated screw magazine rotates on tool without removal to allow the operate in corners with the minimum of fuss
- LED worklight for small spaces or areas with limited light
- Trigger lock-on lets you work without having to pull the trigger
- Also supplied with locking nose cone so that you can work with the same tool on sites where collated drywall screws are not supplied

- “Set and forget” feature remembers your fine depth adjustment when removing and replacing the nose cone

The kit includes:

2 x 18V 2.0Ah XR Li-Ion battery packs, XR charger, DCF6201 collated screw magazine, DT7205-QZ PR2 collated screw bit, Single Screw Nose cone, DT7520-QZ Magnetic bit extender with 25mm PR2 screw bit, TSTAK II box

Description	DCF620
Battery Type / Capacity	18V XR Li-Ion / 2.0Ah
Weight (excl. / inc. battery)	1.1 kg / 1.5 kg
Tool Holder	(Hex) 6.35 mm
Max Torque	5 - 30 Nm
No Load Speed	0 - 4400 rpm

DCF620 & DCF622 SCREWDRIVERS

APPLICATIONS


DCF620:

- Fastening drywall panels to metal and wooden profiles
- Installing Diamond Board

DCF622:

- Driving self-drilling screws in steel framing systems

MATERIALS





See front cover foldout for details.

18V XR CORDLESS COLLATED DRYWALL SCREWDRIVER AND ACCESSORIES





DCF620D2K

Cat No.	Description	Batteries	 Box	 Kit Box / Case	Pack Qty
DCF620P2K	18V Screwdriver with magazine attachment	2 x 5.0 Ah		•	1
DCF620D2K	18V Screwdriver with magazine attachment	2 x 2.0 Ah		•	1
DT7205	PR2 drywall screwdriver bit		•		1
DT7207	PR2 drywall screwdriver bit		•		20
DT7520	Magnetic bit holder		•		1

18V XR CORDLESS SCREWDRIVER FOR SELF-DRILLING SCREWS



DCF622P2

Cat No.	Description	Batteries	 Box	 Kit Box / Case	Pack Qty
DCF622P2	18V Self-drilling screwdriver kit	2 x 5.0 Ah		•	1
DCF622N	18V Self-drilling screwdriver without battery or charger		•		1

COLLATED DRYWALL SCREWS


DESCRIPTION

- Range of collated drywall screws
- Constant and sharp needle point for fast and easy installation
- Available in fine, coarse and reverse thread
- Fine thread for fastening drywall panels to metal profiles (max. 0.88mm)
- Coarse thread for fastening to wooden profiles
- Reverse thread for use with Diamond Board
- Black phosphate, for better corrosion resistance
- Specially designed strip for easy installation and to prevent screw jams
- Suitable for DeWALT®, Powers®, HILTI®, Makita®, Senco® and most other competitor screwdrivers

APPLICATIONS

- Fastening drywall panels to metal and wooden profiles
- Installing Diamond Board

MATERIALS



See front cover foldout for details.

COMPLIANCE



EN 14566
Drywall Screw

BUGLE HEAD, FINE THREAD - FOR METAL PROFILES



Cat No.	CE	Thread Size [mm]	Length [mm]	Head Type / Size [mm]	Screws per Strip	Box	Blister Pack	Pack Quantity
DWF4000250	•	3.5 x 25		PH2 / 8	50	•		1000
DWF4000350	•	3.5 x 35		PH2 / 8	50	•		1000
DWF4000450	•	3.5 x 45		PH2 / 8	50	•		1000
DWF4000550	•	3.5 x 55		PH2 / 8	50	•		1000

BUGLE HEAD, COARSE THREAD - FOR WOODEN PROFILES



Cat No.	CE	Thread Size [mm]	Length [mm]	Head Type / Size [mm]	Screws per Strip	Box	Blister Pack	Pack Quantity
DWF4100350	•	3.5 x 35		PH2 / 8	50	•		1000
DWF4100450	•	3.5 x 45		PH2 / 8	50	•		1000
DWF4100550	•	3.5 x 55		PH2 / 8	50	•		1000

LOOSE DRYWALL SCREWS

DESCRIPTION

- Range of loose drywall screws
- Constant and sharp needle point for fast and easy installation
- Available in fine, coarse and reverse thread
- Fine thread for fastening drywall panels to metal profiles (max. 0.88mm)
- Coarse thread for fastening to wooden profiles
- Black phosphate, for better corrosion resistance

APPLICATIONS

- Fastening drywall panels to metal and wooden profiles

MATERIALS



See front cover foldout for details.

COMPLIANCE

	EN 14566 Drywall Screw
--	---------------------------

BUGLE HEAD, FINE THREAD + BIT - FOR METAL PROFILES

NEW



Cat No.	CE	Thread Size [mm]	Length [mm]	Head Type / Size [mm]	Box	Blister Pack	Pack Quantity
DWF4010004	•	3.5 x 25		PH2 / 8	•		1000 + 1
DWF4010005	•	3.5 x 35		PH2 / 8	•		1000 + 1
DWF4010006	•	3.5 x 45		PH2 / 8	•		1000 + 1

BUGLE HEAD, COARSE THREAD + BIT - FOR WOODEN PROFILES

NEW



Cat No.	CE	Thread Size [mm]	Length [mm]	Head Type / Size [mm]	Box	Blister Pack	Pack Quantity
DWF4010011	•	3.5 x 35		PH2 / 8	•		1000 + 1
DWF4010012	•	3.5 x 45		PH2 / 8	•		1000 + 1
DWF4010013	•	3.5 x 55		PH2 / 8	•		500 + 1